AMENDED

Serial No. 28332

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA MAY 1 5 1974

Date of filing in State Engineer's Office	
Retu	rned to applicant for correction. JUN 25 1974
Corr	ected application filed AUG 2 2 1974
Мар	filed August 22, 1974 under 28331
•	
	The applicant Douglas County State of Nevada
	Court House , of Minden , Street and No. or P.O. Box No. City or Town
	Nevada hereby make. S application for permission to appropriate the public
wate	State and Zip Code No. rs of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
	if a copartnership or association, give names of members.)
,	2 a vopacino va association, 6.10 annio va association (constitution)
1.	The source of the proposed appropriation is Underground source Name of stream, lake or other source.
	Time of Strong, Mac of Valve Strong
2.	The amount of water applied for is 6.0 Second-foot equals 448.83 gals. per min.
	One second-foot equals 448.83 gals. per min. (a) If stored in reservoir give number of acre-feet
3.	Trrigation
	Irrigation, power, mining, manufacturing, domestic, or other use.
	If use is for:
	(a) Irrigation (state number of acres to be irrigated) 800 Ac.
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 12. Remarks")
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point: Well No. 3 SE 4NE 4 Sec. 17.
	N. 2° 14' 53" E. 17,433 ft. to NW cor. Sec. 33 T.14N., R.20E.,
	Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
	it should be stated.
6.	Place of use W ¹ ₂ , NE ¹ ₄ NW ¹ ₄ , SW ¹ ₄ Sec. 9 T.13N., R.20E. Describe by legal subdivision, if on unsurveyed land it should be so stated.
	E½, NE¼NE¼, SE¼ Sec. 8 T.13N.,R.20E.
	NW4 Sec. 16 T.13N., R.20E.
	NE ¹ ₄ Sec. 17 T.13N.,R.20E., M.D.B.M.
7.	Use will begin about Jan. 1 and end about Dec. 31, of each year. Day and Month Day and Month
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) Drilled well, pump, pipelines,
	irrigation system
	State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9.	Estimated cost of works 15,000
10.	Estimated time required to construct works 3 yrs.
11.	Estimated time required to complete the application to beneficial use. 5 Yrs.
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	······································
App	licant Douglas County
	By S/ James A. Rankin 150 Manzanita Ter.
Con	pared jw/bs Carson City, Nv.
	TO DO NIT A T
	DENIAL OF STATE ENGINEER deny
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
follo	wing limitations and conditions:
Or	the grounds that its granting would tend to impair the value of
ex	risting rights and be otherwise detrimental to the public welfare.
••	
	······································
	·
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not t	o exceedcubic feet per second
••••••	
Actu	al construction work shall begin on or before
Proo	f of commencement of work shall be filed before
Wor	k must be prosecuted with reasonable diligence and be completed on or before
Proo	f of completion of work shall be filed before
App	lication of water to beneficial use shall be made on or before
Proo	f of the application of water to beneficial use shall be filed on or before
Мар	in support of proof of beneficial use shall be filed on or before
	nencement of work filed IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD
Comp	oletion of work filed
Cultu	ral map filed
Certif	ficate No
	County Recorder State Engineer
	_p 218 (Rev.)